


# VENTILATION FITTING SYSTEMS

## MADE OF THERMOPLASTICS




Official Partner in Australia




# PRE-MADE POLYMER VENTILATION DUCT & FITTINGS


## ELIMINATE THE NEED FOR CUSTOMISED FABRICATION




*HoKa Bends*




*Branch outlet  
(T-Piece) 90°*



*Branch outlet  
(T-Piece) 45°*




*HoKa Double sockets*




*HoKa Control valve  
prepared for motor*




*HoKa Flange*




*HoKa Flexible connector*




*HoKa Sound attenuator  
(reducer)*




*HoKa Outlet cowl*



*HoKa Roof head*



*HoKa Back flow damper*




*HoKa Back flow damper*

**HoKa GmbH is a specialist manufacturer of moulded polymer ventilation duct fittings, which has been in operation for more than 25 years.**


HoKa fittings are produced in a large array of sizes with dimensions ranging from 50 to 1250 mm diameter.

These plastic fittings are available in all commonly required arrangements such as bends, junctions, joiners and transitions. This vast range virtually eliminates the need for custom fabrication.


HoKa fittings are manufactured using a controlled process that guarantees dimensional accuracy. Each fitting is produced with joining collars on all openings to further simplify the assembly process.




*HoKa Reducer*




*HoKa Damper valve  
with handle*



*HoKa Damper valve  
with control knob*




*HoKa Damper valve  
adjustable with locking knob*




*HoKa Condenser  
deflector housing*




*HoKa Saddle  
90° Outlet*




*HoKa Saddle  
45° Outlet*




*HoKa Breech 90° Outlet*




*HoKa Through wall*



*HoKa Outlet with grille  
30° angled*



*HoKa End cap*



*HoKa Cleaning orifice*

















Other dimensions and types of fittings can also be produced to meet individual requirements.

Produced in \*PVC grey & white, PP, PPs, PE, PP-EL-s and PVDF, HoKa plastic fittings are suitable for all exhaust and ventilation systems, including the extraction of corrosive and volatile fumes. PVC duct and fittings can be joined by solvent welding whilst

the joining of other materials (PP, PPs, PE, PP-EL-s & PVDF) is done by a plastic welding process.

Our aim is to ensure continuous availability and short delivery times on all HoKa products. For sure you get free advice and consultation on the selection and use of HoKa duct and fittings.



# TECHNICAL SPECIFICATIONS



TO GET MORE TECHNICAL INFORMATION  
**YOU ARE WELCOME**  
TO REGISTER YOURSELF AT



Scan the QR code for more information  
or look at <http://www.hoka.de>



Jenso Pty Ltd | [www.jenso.com.au](http://www.jenso.com.au)  
PO Box 717 | Braeside 3195 | Australia

**JENSO**  
innovation in plastics

Official Partner in Australia